

# THUNDER

## LASER NZ

### Product Features


- 55W RF Tube
- 813x 508mm work area
- Built in exhaust fan and air pump
- Motorised Z axis table
- Rotary ready
- 5MP camera
- Front pass-through door design
- Red Dot pointer
- Dual Air Assist

### Safety Features

- Two Fire detectors fitted
- Open cover protection
- Status lamp
- Emergency stop

### Our Support

- Parts available in NZ
- NZ-wide backup & support
- 24 month warranty on parts
- 12 month warranty on laser tube
- 30 day warranty on the lens



**RF Laser Tube**

Fast engraving, incredible timing control.




**5MP Camera**

Overhead fish-eye camera.



**Emergency Stop**



**5-Phase Motor**

Low vibration running at 2000mm/s engraving speeds.



**Lightburn software**

Better software for laser cutters.



**Rotary Capabilities**

With an added rotary you can engrave cylindrical items.


# BOLT PRO 32

## NZD \$27,995.00 +gst



**5" LCD Touch Screen**

Quickly control your machine. Access files saved in the memory (1 GB memory CPU).



**Z Axis work table**

182mm max part height.

Thunder Laser New Zealand offers high quality machines with after sales support for parts and service.

The Bolt Pro 32 laser combines high quality engraving with a larger bed size. Our machines deliver exceptional results across many industries including, manufacturing, design, hobbyists, and education.

**BOLT PRO 32**  
NZD **\$27,995.00** +gst



### Specifications

Laser Source	55W RF Coherent (comparable to a 100W glass tube)
Work Area:	813 x 508mm (32 x 20")
Z axis height:	182mm
Dimensions WxDxH:	Front door closed: 1303 x 980 x 1021mm
Net Weight:	300kgs
Operating Modes:	Optimized raster (engraving), vector (cutting)
Display Panel:	5" LCD showing current file, total working time, power, and speed settings. 1 GB memory CPU.
Maximum Speed:	2000mm/s (40 IPS)
Lens:	2.5" Focal Lens
Rotary Compatible:	Yes
Camera:	High Resolution 5MP Camera
Computer requirements:	Windows 7 or later, macOS 10.11 or later, and certain 64 bit Linux
File Formats:	Lightburn - supports AI, BMP, DXF, JPG, PDF, PNG, SVG, TIF and many other formats
Computer interface:	USB, Ethernet
Cooling:	Air cooled
Motor:	5-Phase motor - low vibration running at 2000mm/s
Acceleration:	5G
Dual Air Assist:	Low and High air pressure, software controlled in Lightburn by layer.
Electrical requirements:	230 volts, 50 Hz, single phase
Ducting requirements:	6" (150mm) - we recommended dedicated, vertical discharge, hard ducting. <small>(ITS Ltd can recommend suppliers and contractors to assist with this)</small>

### Optional Extras

Rotary - 3 jaw chuck with tail end stock  
Dimensions: (WxDxH) - 600 x 150 x 170mm  
Maximum Part Size:  
Length 290mm / Diameter 100mm  
**\$795**

1.5" Lens (for high resolution engraving)  
**\$200**

2" Lens  
**\$200**

2.5" Lens  
**\$200**

4" Lens  
**\$200**


Installation, and basic training from **\$800**  
plus any travel expenses  
*Extra training is available by appointment*

BlazeCut - 2.0m  
**\$440**

**Prices ex GST**  
**Pricing from 1 June 2024**

### Materials

Thunder Laser CO<sub>2</sub> laser's can cut and engrave a variety of materials, including:



\* Engrave only / \*\* Engraving using a marking solution